

Artiklar muskuloskeletal smärta/ohälsa

Sundberg T, Skillgate E, Gustavsson P, Rudman A.

Early career demanding psychosocial work environment and severe back pain and neck/shoulder pain in experienced nurses: A cohort study. Scand J Public Health. 2023 Feb 22;14034948231151992. doi: 10.1177/14034948231151992. Epub ahead of print. PMID: 36814114.

<https://pubmed.ncbi.nlm.nih.gov/36814114/>

Johansson F, Billquist J, Andreasson H, Jensen I, Onell C, Berman AH, Skillgate E.

Study environment and the incidence of mental health problems and activity-limiting musculoskeletal problems among university students: the SUN cohort study. BMJ Open. 2023 Sep 14;13(9):e072178. doi: 10.1136/bmjopen-2023-072178. PMID: 37709330; PMCID: PMC10503358.

<https://pubmed.ncbi.nlm.nih.gov/37709330/>

Rasmussen-Barr E, Nordin M, Skillgate E.

Are respiratory disorders risk factors for troublesome neck/shoulder pain? A study of a general population cohort in Sweden. Eur Spine J. 2022 Dec 30. doi: 10.1007/s00586-022-07509-z. Epub ahead of print. PMID: 36585528.

<https://pubmed.ncbi.nlm.nih.gov/36585528/>

Bohman T, Holm LW, Lekander M, Hallqvist J, Skillgate E.

Influence of work ability and smoking on the prognosis of long-duration activity-limiting neck/back pain: a cohort study of a Swedish working population. BMJ Open. 2022 Apr 12;12(4):e054512. doi: 10.1136/bmjopen-2021-054512. PMID: 35414549.

<https://pubmed.ncbi.nlm.nih.gov/35414549/>

Edlund K, Sundberg T, Johansson F, Onell C, Rudman A, Holm LW, Grotle M, Jensen I, Côté P, Skillgate E.

The Sustainable University Life (SUN) study: Protocol for a Prospective Cohort Study of Modifiable Risk and Prognostic Factors for Mental Health Problems and Musculoskeletal Pain Among University Students. BMJ Open 2022;12:e056489. doi:10.1136/bmjopen-2021-056489.

<https://pubmed.ncbi.nlm.nih.gov/35379630/>

Holm LW, Bohman T, Lekander M, Magnusson C, Skillgate E.

Risk of transition from occasional neck/back pain to long-duration activity limiting neck/back pain: A cohort study on the influence of poor work ability and sleep disturbances in the working population in Stockholm County. BMJ Open. 2020 Jun 3;10(6):e033946. doi: 10.1136/bmjopen-2019-033946. PMID: 32499260.

<https://pubmed.ncbi.nlm.nih.gov/32499260/>

Rasmussen-Barr E, Magnusson C, Nordin M, Skillgate E.

Are respiratory disorders risk factors for troublesome low-back pain? A study of a general population cohort in Sweden. Eur Spine J. 2019 Nov;28(11):2502-2509. doi: 10.1007/s00586-019-06071-5. [Epub 2019 Jul 19].

PMID: 3132505.

<https://www.ncbi.nlm.nih.gov/pubmed/31325050>

Bohman T, Holm LW, Hallqvist J, Pico-Espinosa OJ, Skillgate E.

Healthy lifestyle behaviour and risk of long-duration troublesome neck pain among men and women with occasional neck pain: results from the Stockholm Public Health Cohort. BMJ Open. 2019 Nov 19;9(11):e031078. Doi: 10.1136/bmjopen-2019-031078.

PMID: 31748298.

<https://www.ncbi.nlm.nih.gov/pubmed/31748298>

Pico-Espinosa OJ, Côté P, Hogg-Johnson S, Jensen I, Axen I, Holm LW, Skillgate E.

Trajectories of pain intensity over one year in adults with disabling subacute or chronic neck pain. Clin J Pain. 2019 Aug;35(8):678-685. Doi: 10.1097/AJP.0000000000000727.

PMID: 31149935.

<https://www.ncbi.nlm.nih.gov/pubmed/31149935>

Palmlöf L, Skillgate E, Talbäck M, Josephson M, Vingard E, Holm L.

Poor work ability increases sickness absence over 10 years. Occup Med (Lond). 2019 Aug 22;69(5):359-365. Doi: 10.1093/occmed/kqz083.

PMID: 31219583.

<https://www.ncbi.nlm.nih.gov/pubmed/31219583>

Lilje S, Sanmartin Berglund J, Anderberg P, Palmlöf L, Skillgate E.

The importance of weak physical performance in older adults for the development of musculoskeletal pain that interferes with normal life. A prospective cohort study. Scand J Pain. 2019 Jun 13. pii: /j/sjpain.ahead-of-print/sjpain-2019-0041/sjpain-2019-0041.xml. doi: 10.1515/sjpain-2019-0041. [Epub ahead of print].

PMID: 31199780.

<https://www.ncbi.nlm.nih.gov/pubmed/31199780>

Paanalahti K, Wertli MM, Held U, Holm LW, Åkerstedt T, Nordin M, Skillgate E.

Spinal pain – good sleep matters: a secondary analysis of a randomized controlled trial. European Spine Journal. May 2015.

<https://pubmed.ncbi.nlm.nih.gov/26063054/>

Lilje SC, Skillgate E, Anderberg P, Berglund J.

Negative psychosocial and heavy physical work loads associated with musculoskeletal pain interfering with normal life in older adults: Cross sectional analysis. Scan J Public Health. March 2015.

<https://pubmed.ncbi.nlm.nih.gov/25944799/>

Bohman T, Alfredsson L, Jensen I, Hallqvist J, Vingård E, Skillgate E.

Does healthy lifestyle behavior influence the prognosis of low back pain among men and women in a general population? A population based cohort study. BMJ Open. 2014 Dec 30;4(12):e005713. doi: 10.1136/bmjopen-2014-005713.

www.ncbi.nlm.nih.gov/pubmed/25550292

Rasmussen-Barr E, Grooten WJA , Hallqvist J, Holm LW, Skillgate E.

Are job Strain and Sleep Disturbances Prognostic Factors for Neck/Shoulder/Arm pain? A Cohort Study of a General Population of Working Age in Sweden. BMJ Open. 2014 Jul 8;4(7):e005103. doi: 10.1136/bmjopen-2014-005103.

www.ncbi.nlm.nih.gov/pubmed/25005596

Palmlöf L, Côté P, Holm L W, Carroll L J, Cassidy J D, Skillgate E.

Are prevalent self-reported cardiovascular disorders associated with delayed recovery from whiplash-associated disorders: a population-based cohort study. Clinical J Pain, 2014 May 7 [Epub ahead of print]

PMID: 24810649

www.ncbi.nlm.nih.gov/pubmed/24810649

Andersson L, Apelby-Albrecht M, Woldseth K I, Kristian K, Skillgate E, Josephson A

Concordance between the Upper Limb Neurodynamic Tests with Medical Examination and Magnetic Resonance Imaging in Patients with Cervical Radiculopathy – a diagnostic cohort study. J Manipulative Physiol Ther. 2013 Nov-Dec;36(9):626-32. doi:

10.1016/j.jmpt.2013.07.007. Epub 2013 Oct 23.

PMID: 24161389

www.ncbi.nlm.nih.gov/pubmed/24161389

Rasmussen-Barr E, Bohman T, Hallqvist J, Holm LW, Skillgate E.

Do physical activity level and body mass index predict recovery from persistent neck pain in men and women of working age? A population-based cohort study. Eur Spine J. 2013 Sep;22(9):2077-83. doi: 10.1007/s00586-013-2801-x. Epub 2013 May 8.

PMID: 23653132

www.ncbi.nlm.nih.gov/pubmed/23653132

Bohman T, Alfredsson L, Hallqvist J, Vingård E, Skillgate E.

The influence of self-reported leisure time physical activity and the body mass index on recovery from persistent back pain among men and women: A population-based cohort study. BMC Public Health. 2013 Apr 25;13(1):385. [Epub ahead of print]

PMID: 23617707

www.ncbi.nlm.nih.gov/pubmed/23617707

Bohman T, Côté P, Boyle E, Cassidy JD, Carroll LJ, Skillgate E.

Prognosis of patients with whiplash-associated disorders consulting physiotherapy: development of a predictive model for recovery. BMC Musculoskelet Disord. 2012 Dec 29;13:264. doi: 10.1186/1471-2474-13-264.

PMID: 3273330

www.ncbi.nlm.nih.gov/pubmed/23273330

Skillgate E, Magnusson C, Lundberg M, Hallqvist J.

The age and gender specific occurrence of troublesome neck pain in the general population – results from the Stockholm Public Health Cohort. BMC Musculoskelet Disord. 2012 Sep 24;13:185. doi: 10.1186/1471-2474-13-185.

PMID: 23006655

www.ncbi.nlm.nih.gov/pubmed/23006655

Palmlöf L, Skillgate E, Alfredsson L, Vingård E, Magnusson C, Lundberg M, Holm LW.
Does income matter for troublesome neck pain? -A population based study on risk and prognosis. J Epidemiol Community Health. 2012 Nov;66(11):1063-70. doi: 10.1136/jech-2011-200783. Epub 2012 Mar 12.

PMID:224 12154

www.ncbi.nlm.nih.gov/pubmed/22412154

Glad D, Skillgate E, Holm LW.

The occurrence and severity of musculoskeletal disorders in Swedish military personnel during peacekeeping operations in Afghanistan. Eur Spine J. 2012 Apr;21(4):739-44. doi: 10.1007/s00586-011-2142-6. Epub 2012 Jan 7.

PMID: 22228552

www.ncbi.nlm.nih.gov/pubmed/22228552

Crutebo S, Nilsson C, Skillgate E, Holm LW.

The Symptom Course for Whiplash-Associated Disorders (WAD) in Sweden: A Six Months Follow-up Study. J Rheumatol. 2010 Jul;37(7):1527-33. Epub 2010 May 15.

PMID: 20472922

www.ncbi.nlm.nih.gov/pubmed/20472922

Skillgate E, Vingård E, Josephson M, Holm LW, Alfredsson L.

Is smoking and alcohol consumption associated with long-term sick leave due to unspecific back or neck pain among employees in the public sector? Results of a three-year follow-up cohort study. J Rehabil Med. 2009 Jun;41(7):550-6.

PMID: 19543666

www.ncbi.nlm.nih.gov/pubmed/19543666

Skillgate E, Vingård E, Josephson M, Theorell T, Alfredsson L.

The role of coping style in the onset of a new episode of low back and neck/ shoulder pain. Results from the Swedish MUSIC-Norrtälje case-control study. Psychotherapy and Psychosomatics, 2007, 76, 253-55.

PMID: 17570967

www.ncbi.nlm.nih.gov/pubmed/17570967

Skillgate E, Vingård E, Josephson M, Theorell T, Alfredsson L.

Life events and the risk of low back and neck/shoulder pain of the kind people are seeking care for: Results from the MUSIC-Norrtälje case-control study. J Epidemiol Community Health, 2007, 61, 356-61.

PMID: 17372298

www.ncbi.nlm.nih.gov/pubmed/17372298

Skillgate E, Isacson Hjortzberg M, Strömwall P, Hallqvist J, Onell C, Holm LW, Bohman T.

Non-Preferred Work and the Incidence of Spinal Pain and Psychological Distress-A Prospective Cohort Study. Int J Environ Res Public Health. 2021 Sep 24;18(19):10051. doi: 10.3390/ijerph181910051.

PMID: 34639355; PMCID: PMC8508031.

<https://pubmed.ncbi.nlm.nih.gov/34639355/>

Holm LW, Onell C, Carlseus M, Ekwurtzel R, Holmertz O, Bohman T, Skillgate E.
Vigorous regular leisure-time physical activity is associated with a clinically important improvement in back pain - a secondary analysis of randomized controlled trials. BMC Musculoskelet Disord. 2021 Oct 8;22(1):857. doi: 10.1186/s12891-021-04727-2.
PMID: 34625083; PMCID: PMC8501526.
<https://pubmed.ncbi.nlm.nih.gov/34625083/>